

TEST REPORT



Page 1 of 1



The Arya Vaidya Pharamacy (Coimbatore) Ltd Kanjikode, Palakkad, Kerala 678621 India

Certificate Number: TIND118959-1 Final-1

08/03/2025 **Received Date: Analysis Start Date:** 08/03/2025 **Analysis End Date:** 12/03/2025 **Reported Date:** 17/03/2025 Lab Ref. IND119397

ULR: TC861725000007776F

Sample Details

Below Sample Details are Provided By: Customer

Sample Description: Aswagadharishtam

Batch Number: AKH-151

Below Sample Details are Provided By: Laboratory Sample Received Quantity: Plastic Bottle (100ml)

Sampling Details: Not Sampled By ALS Condition on receipt = A - Satisfactory

S.No	Test	Method	Result	Units	LOQ	Specification		
METALS AND MINERALS								
1	Arsenic (As)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 3		
2	Cadmium (Cd)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 0.3		
3	Lead (Pb)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 10		
4	Mercury (Hg)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 1.0		

END OF TEST REPORT

services India


Bangalore 560 105

Sample Conclusion:

The above tested sample complies to The Ayurvedic Pharmacopoeia of India for the parameters mentioned above.

Max: Maximum

Authorised by:



B Saravanan

Manager-Chemical

For and on Behalf of ALS Testing Services India Private Ltd

LOQ: Limit of Quantification

Disclaimers:

Results relate only to the sample analysed. The results may not be reproduces in full, without prior written approval of the laboratory. Unless otherwise stated, all results are expressed on an as received basis. The test samples will not be retained for perishable products and will be retained for 1 month in case of non-perishable samples unless otherwise agreed with the customer or as required by the applicable regu This is a computer generated document with electronic signature hence does not require manual signature.



TEST REPORT





right solutions. right partner.

The Arya Vaidya Pharamacy (Coimbatore) Ltd Kanjikode, Palakkad, Kerala 678621 India

Certificate Number: TIND126235-1 Final-1

Received Date: 21/04/2025 **Analysis Start Date:** 21/04/2025 **Analysis End Date:** 28/04/2025 **Reported Date:** 30/04/2025 Lab Ref. IND126602

ULR: TC861725000013450F

Sample Details

Below Sample Details are Provided By: Customer

Sample Description: Aswagandharishtam

Batch Number: AKH-151

Below Sample Details are Provided By: Laboratory

Sample Received Quantity: Sealed Plastic Container (200ml)

Sampling Details: Not Sampled by ALS Condition on receipt = A - Satisfactory

S.No	Test	Method	Result	Units	LOQ			
MYCOTOXINS								
1	Aflatoxin B1	S01-CLC-0045	<0.5	μg/kg	0.5			
2	Aflatoxin B2	S01-CLC-0045	<0.5	μg/kg	0.5			
3	Aflatoxin G1	S01-CLC-0045	<0.5	μg/kg	0.5			
4	Aflatoxin G2	S01-CLC-0045	<0.5	μg/kg	0.5			
5	Total Aflatoxins	S01-CLC-0045	<0.5	μg/kg	0.5			

END OF TEST REPORT

Note: <1cfu= No microbial growth observed.

Authorised by:

B Saravanan

Manager-Chemical

Services India Bangalore 560 105

Authorised by:

Bharath Jeyaraman

Manager-Microbiology

For and on Behalf of ALS Testing Services India Private Ltd

LOQ: Limit of Quantification

Disclaimers:

Results relate only to the sample analysed. The results may not be reproduces in full, without prior written approval of the laboratory. Unless otherwise stated, all results are expressed on an as received basis. The test samples will not be retained for perishable products and will be retained for 1 month in case of non-perishable samples unless otherwise agreed with the customer or as required by the applicable regulat This is a computer generated document with electronic signature hence does not require manual signature



TEST REPORT

Lab Ref.

The Arya Vaidya Pharamacy (Coimbatore) Ltd Kanjikode,

Palakkad, Kerala

678621 India

Certificate Number: TIND126235-1 Final-2

IND126602

Received Date: 21/04/2025 **Analysis Start Date:** 21/04/2025 28/04/2025 **Analysis End Date: Reported Date:** 30/04/2025

Sample Details

Below Sample Details are Provided By: Customer

Sample Description: Aswagandharishtam

Batch Number: AKH-151

Below Sample Details are Provided By: Laboratory

Sample Received Quantity: Sealed Plastic Container (200ml)

Sampling Details: Not Sampled by ALS Condition on receipt = A - Satisfactory

S.No	Test	Method	Result	Units	LOQ			
MICROBIOLOGY								
1	Total Plate count	IP Volume 1:2.2.9	<1	cfu/ml	N/A			
2	Escherichia coli	ISO 16649 (P-2)	<1	cfu/ml	N/A			
3	Pseudomonas aeruginosa	IP 2.2.9	<1	cfu/ml	N/A			
4	Staphylococcus aureus	ISO 6888 (P-3)	Absent	/ml	N/A			
5	Yeast & Mould Count	ISO 21527 (P-2)	<1	cfu/ml	N/A			
6	Salmonella	ISO 6579 (P-1)	Absent	/25ml	N/A			

END OF TEST REPORT

Note: <1cfu= No microbial growth observed.

Authorised by:

B Saravanan

Manager-Chemical

Services India 560 105

Authorised by:

Bharath Jeyaraman

Manager-Microbiology

For and on Behalf of ALS Testing Services India Private Ltd

LOQ: Limit of Quantification

Disclaimers:

Results relate only to the sample analysed. The results may not be reproduces in full, without prior written approval of the laboratory. Unless otherwise stated, all results are expressed on an as received basis.

The test samples will not be retained for perishable products and will be retained for 1 month in case of non-perishable samples unless otherwise agreed with the customer or as required by the applicable regulation. This is a computer generated document with electronic signature hence does not require manual signature.