



right solutions.
right partner.

The Arya Vaidya Pharamacy (Coimbatore) Ltd
Kanjikode,
Palakkad, Kerala
678621
India

TEST REPORT

Page 1 of 1



Certificate Number: TIND118962-1 Final-1
Received Date: 08/03/2025
Analysis Start Date: 08/03/2025
Analysis End Date: 12/03/2025
Reported Date: 17/03/2025
Lab Ref. IND119400

Sample Details

Below Sample Details are Provided By: Customer
Sample Description: Balarishtam
Batch Number: AKH-152
Below Sample Details are Provided By: Laboratory
Sample Received Quantity: Plastic Bottle (100ml)
Sampling Details: Not Sampled By ALS
Condition on receipt = A - Satisfactory

ULR: TC861725000007779F

S.No	Test	Method	Result	Units	LOQ	Specification
METALS AND MINERALS						
1	Arsenic (As)	S01-CLC-0034	0.02	mg/kg	0.01	Max 3
2	Cadmium (Cd)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 0.3
3	Lead (Pb)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 10
4	Mercury (Hg)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 1.0

END OF TEST REPORT

Sample Conclusion:

The above tested sample complies to The Ayurvedic Pharmacopoeia of India for the parameters mentioned above.
Max: Maximum

Authorised by:

B Saravanan

Manager-Chemical



For and on Behalf of ALS Testing Services India Private Ltd

LOQ : Limit of Quantification

Disclaimers:

Results relate only to the sample analysed. The results may not be reproduces in full, without prior written approval of the laboratory. Unless otherwise stated, all results are expressed on an as received basis.
The test samples will not be retained for perishable products and will be retained for 1 month in case of non-perishable samples unless otherwise agreed with the customer or as required by the applicable regulation.
This is a computer generated document with electronic signature hence does not require manual signature.

ALS TESTING SERVICES INDIA PRIVATE LIMITED

No. 65, Bommasandra Jigani Link Road, KIADB Industrial Area Bangalore - 560105
Email: ALSIN.CS@alsglobal.com Phone: 080 6111 6000 Website: www.alsglobal.com



right solutions.
right partner.

The Arya Vaidya Pharamacy (Coimbatore) Ltd
Kanjikode,
Palakkad, Kerala
678621
India

TEST REPORT

Page 1 of 1



Certificate Number: TIND126706-1 Final-1
Received Date: 23/04/2025
Analysis Start Date: 23/04/2025
Analysis End Date: 02/05/2025
Reported Date: 02/05/2025
Lab Ref. IND127081

Sample Details

Below Sample Details are Provided By: Customer
Sample Description: Balarishtam
Batch Number: AKH-152
Below Sample Details are Provided By: Laboratory
Sample Received Quantity: Sealed Plastic Container (500ml)
Sampling Details: Not Sampled by ALS
Condition on receipt = A - Satisfactory

ULR: TC861725000013948F

S.No	Test	Method	Result	Units	LOQ
MYCOTOXINS					
1	Aflatoxin B1	S01-CLC-0045	<0.5	µg/kg	0.5
2	Aflatoxin B2	S01-CLC-0045	<0.5	µg/kg	0.5
3	Aflatoxin G1	S01-CLC-0045	<0.5	µg/kg	0.5
4	Aflatoxin G2	S01-CLC-0045	<0.5	µg/kg	0.5
5	Total Aflatoxins	S01-CLC-0045	<0.5	µg/kg	0.5

END OF TEST REPORT

Authorised by:

B Saravanan
Manager-Chemical



Authorised by:

Bharath Jeyaraman
Manager-Microbiology

For and on Behalf of ALS Testing Services India Private Ltd

LOQ : Limit of Quantification

Disclaimers:

Results relate only to the sample analysed. The results may not be reproduced in full, without prior written approval of the laboratory. Unless otherwise stated, all results are expressed on an as received basis.
The test samples will not be retained for perishable products and will be retained for 1 month in case of non-perishable samples unless otherwise agreed with the customer or as required by the applicable regulation.
This is a computer generated document with electronic signature hence does not require manual signature.

ALS TESTING SERVICES INDIA PRIVATE LIMITED

No. 65, Bommasandra Jigani Link Road, KIADB Industrial Area Bangalore - 560105
Email: ALSIN.CS@alsglobal.com Phone: 080 6111 6000 Website: www.alsglobal.com



right solutions.
right partner.

TEST REPORT

Page 1 of 1

The Arya Vaidya Pharamacy (Coimbatore) Ltd
Kanjikode,
Palakkad, Kerala
678621
India



Certificate Number: TIND126706-1 Final-2
Received Date: 23/04/2025
Analysis Start Date: 23/04/2025
Analysis End Date: 02/05/2025
Reported Date: 02/05/2025
Lab Ref. IND127081

Sample Details

Below Sample Details are Provided By: Customer
Sample Description: Balarishtam
Batch Number: AKH-152
Below Sample Details are Provided By: Laboratory
Sample Received Quantity: Sealed Plastic Container (500ml)
Sampling Details: Not Sampled by ALS
Condition on receipt = A - Satisfactory

S.No	Test	Method	Result	Units	LOQ
MICROBIOLOGY					
1	Total Plate count	IP Volume 1:2.2.9	12	cfu/ml	N/A
2	Pseudomonas aeruginosa	USP-62	Absent	/ml	N/A
3	Escherichia coli	ISO 7251	Absent	/ml	N/A
4	Staphylococcus aureus	ISO 6888 (P-3)	Absent	/ml	N/A
5	Yeast & Mould Count	ISO 21527 (P-2)	<10	cfu/ml	N/A
6	Salmonella	ISO 6579 (P-1)	Absent	/25ml	N/A

END OF TEST REPORT

Authorised by:

B Saravanan
Manager-Chemical



Authorised by:

Bharath Jeyaraman
Manager-Microbiology

For and on Behalf of ALS Testing Services India Private Ltd

LOQ : Limit of Quantification

Disclaimers:

Results relate only to the sample analysed. The results may not be reproduces in full, without prior written approval of the laboratory. Unless otherwise stated, all results are expressed on an as received basis.
The test samples will not be retained for perishable products and will be retained for 1 month in case of non-perishable samples unless otherwise agreed with the customer or as required by the applicable regulation.
This is a computer generated document with electronic signature hence does not require manual signature.

ALS TESTING SERVICES INDIA PRIVATE LIMITED

No. 65, Bommasandra Jigani Link Road, KIADB Industrial Area Bangalore - 560105
Email: ALSIN.CS@alsglobal.com Phone: 080 6111 6000 Website: www.alsglobal.com