

TEST REPORT



Page 1 of 1

right solutions. right partner.

The Arya Vaidya Pharamacy (Coimbatore) Ltd Kanjikode, Palakkad, Kerala 678621 India

Certificate Number: TIND118960-1 Final-1

08/03/2025 **Received Date: Analysis Start Date:** 08/03/2025 **Analysis End Date:** 12/03/2025 **Reported Date:** 17/03/2025 Lab Ref. IND119398

ULR: TC861725000007777F

Sample Details

Below Sample Details are Provided By: Customer

Sample Description: Dasamoolarishtam

Batch Number: AKH-005

Below Sample Details are Provided By: Laboratory Sample Received Quantity: Plastic Bottle (100ml)

Sampling Details: Not Sampled By ALS Condition on receipt = A - Satisfactory

S.No	Test	Method	Result	Units	LOQ	Specification		
METALS AND MINERALS								
1	Arsenic (As)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 3		
2	Cadmium (Cd)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 0.3		
3	Lead (Pb)	S01-CLC-0034	0.02	mg/kg	0.01	Max 10		
4	Mercury (Hg)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 1.0		

END OF TEST REPORT

services India

Bangalore 560 105

Sample Conclusion:

The above tested sample complies to The Ayurvedic Pharmacopoeia of India for the parameters mentioned above.

Max: Maximum

Authorised by:



B Saravanan

Manager-Chemical

For and on Behalf of ALS Testing Services India Private Ltd

LOQ: Limit of Quantification

Disclaimers:

Results relate only to the sample analysed. The results may not be reproduces in full, without prior written approval of the laboratory. Unless otherwise stated, all results are expressed on an as received basis. The test samples will not be retained for perishable products and will be retained for 1 month in case of non-perishable samples unless otherwise agreed with the customer or as required by the applicable regu This is a computer generated document with electronic signature hence does not require manual signature.



TEST REPORT





right partner.

The Arya Vaidya Pharamacy (Coimbatore) Ltd Kanjikode, Palakkad, Kerala 678621 India

Certificate Number: TIND126236-1 Final-1

Received Date: 21/04/2025 **Analysis Start Date:** 21/04/2025 **Analysis End Date:** 28/04/2025 **Reported Date:** 30/04/2025 Lab Ref. IND126603

ULR: TC861725000013451F

Sample Details

Below Sample Details are Provided By: Customer

Sample Description: Dasamoolarishtam

Batch Number: AKH-005

Below Sample Details are Provided By: Laboratory

Sample Received Quantity: Sealed Plastic Container (200ml)

Sampling Details: Not Sampled by ALS Condition on receipt = A - Satisfactory

S.No	Test	Method	Result	Units	LOQ			
MYCOTOXINS								
1	Aflatoxin B1	S01-CLC-0045	<0.5	μg/kg	0.5			
2	Aflatoxin B2	S01-CLC-0045	<0.5	μg/kg	0.5			
3	Aflatoxin G1	S01-CLC-0045	<0.5	μg/kg	0.5			
4	Aflatoxin G2	S01-CLC-0045	<0.5	μg/kg	0.5			
5	Total Aflatoxins	S01-CLC-0045	<0.5	μg/kg	0.5			

END OF TEST REPORT

Note: <1cfu= No microbial growth observed.

Authorised by:

B Saravanan

Manager-Chemical

Services India Bangalore 560 105

Authorised by:

Bharath Jeyaraman

Manager-Microbiology

For and on Behalf of ALS Testing Services India Private Ltd

LOQ: Limit of Quantification

Disclaimers:

Results relate only to the sample analysed. The results may not be reproduces in full, without prior written approval of the laboratory. Unless otherwise stated, all results are expressed on an as received basis. The test samples will not be retained for perishable products and will be retained for 1 month in case of non-perishable samples unless otherwise agreed with the customer or as required by the applicable regula This is a computer generated document with electronic signature hence does not require manual signature



TEST REPORT

Certificate Number: TIND126236-1 Final-2

Received Date: 21/04/2025 **Analysis Start Date:** 21/04/2025 28/04/2025 **Analysis End Date: Reported Date:** 30/04/2025 Lab Ref. IND126603

The Arya Vaidya Pharamacy (Coimbatore) Ltd Kanjikode, Palakkad, Kerala 678621 India

Sample Details

Below Sample Details are Provided By: Customer

Sample Description: Dasamoolarishtam

Batch Number: AKH-005

Below Sample Details are Provided By: Laboratory

Sample Received Quantity: Sealed Plastic Container (200ml)

Sampling Details: Not Sampled by ALS Condition on receipt = A - Satisfactory

S.No	Test	Method	Result	Units	LOQ			
MICROBIOLOGY								
1	Total Plate count	IP Volume 1:2.2.9	40	cfu/ml	N/A			
2	Escherichia coli	ISO 16649 (P-2)	<1	cfu/ml	N/A			
3	Pseudomonas aeruginosa	IP 2.2.9	<1	cfu/ml	N/A			
4	Staphylococcus aureus	ISO 6888 (P-3)	Absent	/ml	N/A			
5	Yeast & Mould Count	ISO 21527 (P-2)	<1	cfu/ml	N/A			
6	Salmonella	ISO 6579 (P-1)	Absent	/25ml	N/A			

END OF TEST REPORT

Note: <1cfu= No microbial growth observed.

Authorised by:

B Saravanan

Manager-Chemical

Services India 560 105

Authorised by:

Bharath Jeyaraman

Manager-Microbiology

For and on Behalf of ALS Testing Services India Private Ltd

LOQ: Limit of Quantification

Disclaimers:

Results relate only to the sample analysed. The results may not be reproduces in full, without prior written approval of the laboratory. Unless otherwise stated, all results are expressed on an as received basis.

The test samples will not be retained for perishable products and will be retained for 1 month in case of non-perishable samples unless otherwise agreed with the customer or as required by the applicable regulation. This is a computer generated document with electronic signature hence does not require manual signature.