



right solutions.  
right partner.

The Arya Vaidya Pharamacy (Coimbatore) Ltd  
Kanjikode,  
Palakkad, Kerala  
678621  
India

# TEST REPORT



Certificate Number: TIND118962-1 Final-1  
Received Date: 08/03/2025  
Analysis Start Date: 08/03/2025  
Analysis End Date: 12/03/2025  
Reported Date: 17/03/2025  
Lab Ref. IND119400

ULR: TC861725000007779F

## Sample Details

Below Sample Details are Provided By: Customer  
Sample Description: Balarishtam  
Batch Number: AKH-152  
Below Sample Details are Provided By: Laboratory  
Sample Received Quantity: Plastic Bottle (100ml)  
Sampling Details: Not Sampled By ALS  
Condition on receipt = A - Satisfactory

S.No	Test	Method	Result	Units	LOQ	Specification
<b>METALS AND MINERALS</b>						
1	Arsenic (As)	S01-CLC-0034	0.02	mg/kg	0.01	Max 3
2	Cadmium (Cd)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 0.3
3	Lead (Pb)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 10
4	Mercury (Hg)	S01-CLC-0034	<0.01	mg/kg	0.01	Max 1.0

\*\*\*END OF TEST REPORT\*\*\*

## Sample Conclusion:

The above tested sample complies to The Ayurvedic Pharmacopoeia of India for the parameters mentioned above.  
Max: Maximum

Authorised by:

B Saravanan

Manager-Chemical



For and on Behalf of ALS Testing Services India Private Ltd

LOQ : Limit of Quantification

## Disclaimers:

Results relate only to the sample analysed. The results may not be reproduces in full, without prior written approval of the laboratory. Unless otherwise stated, all results are expressed on an as received basis. The test samples will not be retained for perishable products and will be retained for 1 month in case of non-perishable samples unless otherwise agreed with the customer or as required by the applicable regulation. This is a computer generated document with electronic signature hence does not require manual signature.



right solutions.  
right partner.

The Arya Vaidya Pharamacy (Coimbatore) Ltd  
Kanjikode,  
Palakkad, Kerala  
678621  
India

# TEST REPORT



**Certificate Number:** TIND126706-1 Final-1  
**Received Date:** 23/04/2025  
**Analysis Start Date:** 23/04/2025  
**Analysis End Date:** 02/05/2025  
**Reported Date:** 02/05/2025  
**Lab Ref.** IND127081

**ULR:** TC861725000013948F

### Sample Details

Below Sample Details are Provided By: Customer  
Sample Description: Balarishtam  
Batch Number: AKH-152  
Below Sample Details are Provided By: Laboratory  
Sample Received Quantity: Sealed Plastic Container (500ml)  
Sampling Details: Not Sampled by ALS  
Condition on receipt = A - Satisfactory

S.No	Test	Method	Result	Units	LOQ
<b>MYCOTOXINS</b>					
1	Aflatoxin B1	S01-CLC-0045	<0.5	µg/kg	0.5
2	Aflatoxin B2	S01-CLC-0045	<0.5	µg/kg	0.5
3	Aflatoxin G1	S01-CLC-0045	<0.5	µg/kg	0.5
4	Aflatoxin G2	S01-CLC-0045	<0.5	µg/kg	0.5
5	Total Aflatoxins	S01-CLC-0045	<0.5	µg/kg	0.5

\*\*\*END OF TEST REPORT\*\*\*

Authorised by:

B Saravanan  
Manager-Chemical



Authorised by:

Bharath Jeyaraman  
Manager-Microbiology

For and on Behalf of ALS Testing Services India Private Ltd

LOQ : Limit of Quantification

### Disclaimers:

Results relate only to the sample analysed. The results may not be reproduced in full, without prior written approval of the laboratory. Unless otherwise stated, all results are expressed on an as received basis. The test samples will not be retained for perishable products and will be retained for 1 month in case of non-perishable samples unless otherwise agreed with the customer or as required by the applicable regulation. This is a computer generated document with electronic signature hence does not require manual signature.



# TEST REPORT

right solutions.  
right partner.

The Arya Vaidya Pharamacy (Coimbatore) Ltd  
Kanjikode,  
Palakkad, Kerala  
678621  
India



Certificate Number: TIND126706-1 Final-2  
Received Date: 23/04/2025  
Analysis Start Date: 23/04/2025  
Analysis End Date: 02/05/2025  
Reported Date: 02/05/2025  
Lab Ref. IND127081

## Sample Details

Below Sample Details are Provided By: Customer

Sample Description: Balarishtam

Batch Number: AKH-152

Below Sample Details are Provided By: Laboratory

Sample Received Quantity: Sealed Plastic Container (500ml)

Sampling Details: Not Sampled by ALS

Condition on receipt = A - Satisfactory

S.No	Test	Method	Result	Units	LOQ
<b>MICROBIOLOGY</b>					
1	Total Plate count	IP Volume 1:2.2.9	12	cfu/ml	N/A
2	Pseudomonas aeruginosa	USP-62	Absent	/ml	N/A
3	Escherichia coli	ISO 7251	Absent	/ml	N/A
4	Staphylococcus aureus	ISO 6888 (P-3)	Absent	/ml	N/A
5	Yeast & Mould Count	ISO 21527 (P-2)	<10	cfu/ml	N/A
6	Salmonella	ISO 6579 (P-1)	Absent	/25ml	N/A

\*\*\*END OF TEST REPORT\*\*\*

Authorised by:

B Saravanan  
Manager-Chemical



Authorised by:

Bharath Jeyaraman  
Manager-Microbiology

For and on Behalf of ALS Testing Services India Private Ltd

LOQ : Limit of Quantification

## Disclaimers:

Results relate only to the sample analysed. The results may not be reproduces in full, without prior written approval of the laboratory. Unless otherwise stated, all results are expressed on an as received basis. The test samples will not be retained for perishable products and will be retained for 1 month in case of non-perishable samples unless otherwise agreed with the customer or as required by the applicable regulation. This is a computer generated document with electronic signature hence does not require manual signature.

## ALS TESTING SERVICES INDIA PRIVATE LIMITED

No. 65, Bommasandra Jigani Link Road, KIADB Industrial Area Bangalore - 560105  
Email: ALSIN.CS@alsglobal.com Phone: 080 6111 6000 Website: www.alsglobal.com



# THE ARYA VAIDYA PHARMACY (COIMBATORE) LIMITED

Opp. Railway Station, Kanjikode  
Palakkad 678621, Kerala (KL), India

PHONE: 4912566222 EMAIL: warehouse@avpayurveda.com PAN: AAAC9937E GSTIN: 32AAACT9937E1ZC  
CIN: U24233TZ1948PLC000009



## Quality Control Department

### Certificate of Analysis (As per Drugs and Cosmetics Act 1940)

Name of the Sample : BALARISHTAM 450ml- (ayurVAID)	Sample drawn by : QC
Type : Finished Goods	Date of receipt of sample : 29/04/2025
Category : ARISHTAM & ASAVAM	Qty and size of sample : 450mlx1
Batch No/ Lot No : AKH-152	Analytical report no : AR-V/FG/ARI/0040/2025
Bill No :	Date : 29/04/2025
Quantity : 1,026.0 NOS	
Supplied By :	

#### Protocols

Sl NO:	TESTS	RESULT	STANDARD LIMITS	REFERENCE TO READINGS AND CALCULATIONS	REFERENCE TO PROCEDURE OF TEST
1	PH	3.44	3.0 - 5.0	AVP/Q/ARI/020	API
2	SPECIFIC GRAVITY AT 30 DEG.C	1.09	1.07 - 1.1	AVP/Q/ARI/020	API
3	% TOTAL SOLIDS	23.7	20.0 - 30.0	AVP/Q/ARI/020	API
4	ACIDITY	0.9	0.0 - 1.0	AVP/Q/ARI/020	API
5	ALCOHOL %	4.52	0.0 - 10.0	AVP/Q/ARI/020	API
6	COLOR	PASS	To match with standard limit	NA	IHS
7	SMELL	PASS	To match with standard limit	NA	IHS
8	TASTE	PASS	To match with standard limit	NA	IHS
9	NATURE	PASS	To match with standard limit	NA	IHS

Analysis done by: QC  
Date : 29/04/2025

Report: In the opinion of the undersigned person, the above referred sample complies to all specifications and is of standard quality.

Vnlts  
29/04/25  
Analyst



*[Signature]*  
29/04/25  
Assistant Manager  
(QC / Technical)